

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((interval same (inverted near2 index\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:34
		"715".CLASS. and (inverted near2 index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:28
		S63 and @	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:28
L1	1	(US-20040243560-\$).did.	US-PGPUB	OR	OFF	2008/03/24 12:16
L2	1	1 and (range\$1 or length or interval)	US-PGPUB	OR	ON	2008/03/24 12:17
S1	45	(invert\$2 same list) and (skip \$4 same entr\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:26
S2	36	(invert\$2 same list) and (skip \$4 same entr\$3) and (post\$3 or diar\$3 or register)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 12:24
S3	11	(invert\$2 same list) and (skip \$4 same entr\$3) and (post\$3 or diar\$3 or register) and "707".CLAS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 12:27
S4	8	(invert\$3 same index) and (invert\$3 same list) and (skip \$4 same entr\$3) and (post\$3 or diar\$3 or register) and "707".CLAS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 13:46
S5	3	S3 not S4	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 13:52
S6	1	S2 and ("256" with "512")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 13:57
S7	1	S1 and ("256" with "512")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 13:58
S8	0	S1 and ("256" with "512") and ("128" with "256")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 13:58
S9	7	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) same (index same term))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 10:46
S10	0	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) same (index same term)) and ("256" same "512")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 10:38

S11	1	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) same (index same term)) and ("128" same "512")	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 10:38
S12	8	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:00
S13	8	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term) and index	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:30
S14	2	((memory same size) or (space same storage)) and (skip with entry) and (((majority or most) with term) same document) and index	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:03
S15	0	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term with document) and index	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:03
S16	0	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term with document)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:03
S17	1	(skip with entry) and ((majority or most) with term with document)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:04
S18	3	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term) and interval and range	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 11:31
S19	1	("20040243560").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:27
S20	1	S19 and skip\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:30
S21	1	S19 and skip\$4 and posting	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:32
S22	1	S19 and (skip\$4 same entr \$3) and posting	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:33
S23	1	("20040243560").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 10:44
S24	0	("1and(skip\$3withentr\$3)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 10:44

S25	1	S23 and (skip\$3 with entr\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 11:57
S26	0	S23 and compress\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 11:59
S27	1	S23 and zip\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 12:01
S28	0	S23 and ((zip\$4 or reduc\$4 or archiv\$3) same invert\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 13:29
S29	1	S23 and (zip\$4 or reduc\$4 or archiv\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/20 13:29
S30	1	("20040243560").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/18 10:16
S31	0	S30 and major\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/18 10:17
S32	0	S30 and major\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 10:17
S33	0	S30 and major\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 10:17
S34	1	("20040243560").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/18 14:28
S35	0	S34 and bounday\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 14:29
S36	1	S34 and boundar\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 15:13
S37	0	S34 and "inverted list"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 15:13
S38	1	S34 and (invert\$ with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/18 15:14
S39	0	("20040243560A1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/05 17:46

S40	0	("20040243560A1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/05 17:47
S41	1	("20040243560").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/05 17:47
S42	0	S41 and (bit\$1 or byte\$1 or bitmap\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 17:48
S43	1	S41 and (integer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 17:48
S44	1	S41 and integer\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 17:55
S45	98408	((binar\$3 or bit\$1 or bitmap \$4 or byte\$1) same ("128" or "256"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:10
S46	115481	((binar\$3 or bit\$1 or bitmap \$4 or byte\$1) same ("128" or "256" or "512"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:11
S47	373	S45 and (invert\$3 with index \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:12
S48	43	S47 and posting\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:12
S49	34	S48 and document\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:13
S50	34	S49 and term\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:23
S51	3	S50 and "128" and "256" and "512"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/05 18:23
S52	157	"Golomb code"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 13:53
S53	0	S52 and (inverted with list)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 13:53

S54	165	"Golomb code"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:53
S55	24	S52 and invertel\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 13:56
S56	2	S55 and (skip\$4 or jump\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:03
S57	41	S54 and (skip\$4 or jump\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:03
S58	0	S54 and ((skip\$4 or jump\$3) with entr\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/07 14:03
S59	1	(US-5838950-\$).did.	USPAT	OR	OFF	2007/05/08 14:37
S60	1	S59 and search\$3	USPAT	OR	ON	2007/05/08 14:37
S61	18208	"128" with "256"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:27
S62	4053	S61 and "256" with "512"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:27
S63	4053	S61 and ("256" with "512")	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:27
S64	2555	S63 and @ad<"20030619"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:29
S65	1774	S64 and range	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:29
S66	504	S64 and ((bit or binary) with range)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/19 19:29
S67	173	"Golomb code"	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:21
S68	24	S67 and invertel\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:21
S69	2	S68 and (skip\$4 or jump\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:21
S70	8	((memory same size) or (space same storage)) and (skip with entry) and ((majority or most) with term) and interval and range	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/20 19:21
S71	99	"715".CLAS. and (inverted near2 index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:28
S72	76	S71 and @ad<"20030619"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:28
S73	0	S72 and (skip\$3 near2 entry)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:29
S74	16	S72 and skip\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:29
S75	0	S72 and (skip\$3 same (inverted near2 index\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:30

S76	2	S74 and posting	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:30
S77	8	((skip\$3 near2 entry) same (inverted near2 index\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:32
S78	7	S77 and @ad<"20030619"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:33
S79	0	((skip\$3 near2 interval) same (inverted near2 index\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:33
S80	0	((skip\$3 with interval) same (inverted near2 index\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:33
S81	15	interval same (inverted near2 index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:34
S82	11	S81 and @ad<"20030619"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:34
S83	3	S82 and ((inverted near2 index\$3) with document)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 20:35
S84	2	golomb same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 16:09
S85	8	(skip\$4 or jump\$4) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 16:28
S86	2	S85 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 16:28
S87	21	(skip\$4 or jump\$4) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 16:30
S88	10	S87 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 16:30
S89	62	(skip\$4 or jump\$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:38
S90	1	different with (skip\$4 or jump \$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:38
S91	2	(different or variable or chang \$3) with (skip\$4 or jump\$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:39
S92	2	(different or variable or chang \$3) with (skip\$4 or jump\$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:39

S93	2	(different or variable or chang\$3 or customiz\$5) with (skip\$4 or jump\$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:39
S94	20	((different or variable or chang\$3 or customiz\$5) with (skip\$4 or jump\$4 or interval or segment or block)) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:41
S95	10	S94 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:41
S96	62	(skip\$4 or jump\$4 or interval or segment or block) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:48
S97	32	S96 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 17:48
S98	8	(skip\$4 or jump\$4) with "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 18:07
S99	2	S98 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 18:07
S100	10	S87 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 19:43
S101	692	"inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 19:50
S102	369	S101 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 19:51
S103	104	S102 and (skip\$4 or jump\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 19:51
S104	23	S102 and ((skip\$4 or jump\$4) with (entry or interval or block or segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 19:51
S105	511	moffat.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:07

S106	0	S105 and "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:07
S107	21	S105 and inverted	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:07
S108	0	S107 and skip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:07
S109	1	(variable near2 interval) and "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:08
S110	167	interval and "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:10
S111	0	((jump\$3 or skip\$4) with interval) and "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:10
S112	1	((jump\$3 or skip\$4) with (interval or segment or block)) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:16
S113	1	((jump\$3 or skip\$4) with (interval or segment or block or pointer)) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:18
S114	1	((jump\$3 or skip\$4 or hop\$3 or leap\$3 or alternat\$3) with (interval or segment or block or pointer)) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:19
S115	6	((jump\$3 or skip\$4 or hop\$3 or leap\$3 or alternat\$3 or mov\$3) with (interval or segment or block or pointer)) same "inverted index"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:20
S116	13085	((jump\$3 or skip\$4 or hop\$3 or leap\$3 or alternat\$3 or mov\$3) with (interval or segment or block or pointer)) same index	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:21
S117	13085	((jump\$3 or skip\$4 or hop\$3 or leap\$3 or alternat\$3 or mov\$3) with (interval or segment or block or pointer)) same index	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:21

S118	5084	((jump\$3 or skip\$4 or hop\$3 or leap\$3 or alternat\$3 or mov\$3) with (interval or segment or block or pointer)) with index	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:21
S119	380	(skip\$4 or jump\$4) with entry with index	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:22
S120	222	((skip\$4 or jump\$4) near2 entry) with index	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:22
S121	100	S120 and @ad<"20030619"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:22
S122	9	S121 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/22 20:23

3/24/2008 2:26:20 PM

C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10601258.wsp